

Search by Manufacturer

View Manufacturer

go

My recently viewed mics

[Shure SM57](#)

clear

©  Rycote

Comparing 2 mics.

Shure: SM57



Common Name	
Range	SM series
Retail Price Band	Under \$500
Requires	

Electrical Characteristics	
Frequency	40Hz - 15kHz
Response	
Output Sensitivity	1.9mV/Pa
Max SPL	
Self Noise (CCIR)	
Self Noise (DIN/IEC)	
Output Impedance	310Ω
Recommended Load	
Powering	
SupplyCurrent	
Alternative Powering	

Switchable Options	
Pad	
Filter/EQ	

Physical Characteristics	
Connector	XLR-3M
Connector Notes	
Available Colours	
Weight	284g (10oz)
Length	157mm (6.18")
Min Diameter/Width	23mm (0.90")
Max Diameter/Width	32mm (1.25")
Depth	

Accessories	
Included	Swivel adaptor, storage bag
Optional	Windscreen

[back to last results](#)

Shure: SM58



Common Name	
Range	SM series
Retail Price Band	Under \$500
Requires	



Electrical Characteristics	
Frequency	50Hz - 15kHz
Response	
Output Sensitivity	1.9mV/Pa
Max SPL	
Self Noise (CCIR)	
Self Noise (DIN/IEC)	
Output Impedance	300Ω
Recommended Load	
Powering	
SupplyCurrent	
Alternative Powering	

Switchable Options	
Pad	
Filter/EQ	

Physical Characteristics	
Connector	XLR-3M
Connector Notes	
Available Colours	
Weight	298g (10.49oz)
Length	162mm (6.37")
Min Diameter/Width	23mm (0.90")
Max Diameter/Width	51mm (2.00")
Depth	



Accessories	
Included	Swivel stand adaptor,

Unidirectional dynamic microphone for musical instrument pickup or for vocals. Its frequency response is tailored for drums, guitars and vocals.

Frequency curve: Cardioid**Polar curve: Cardioid**

	storage bag
Optional	Windscreen

Unidirectional dynamic vocal microphone designed for use in sound reinforcement and studio recording. The SM58S variation comes with an on/off switch.

Frequency curve: Cardioid**Polar curve: Cardioid**

Is the information shown incomplete or incorrect? [Please click this link to send us your comments.](#)